




PROFESSIONAL SERIES **PS-280**



SET OF LINEAR ACTUATORS PS-280

The PS-280 linear actuators set delivers powerful performance and minimum maintenance in a very compact design. Its impressive endurance and high load capacity make it perfect motion solution for simulators. Maintenance requirements are minimum, and the motion platform is really easy to use.

KEY FEATURES



PS-280




GENERAL SPECIFICATION PS-280

SYSTEM PERFORMANCE

	VELOCITY	ACCELERATION
HEAVE	125 mm/s 4.92 in/s	LIMITED TO 0.5G*
ROLL	DEPENDS ON TYPE OF FRAME	LIMITED TO 500°/s ^{2*}
РІТСН	DEPENDS ON TYPE OF FRAME	LIMITED TO 500°/s ^{2*}
*value of acceleration is limited for safety reasons.		
PAYLOAD SPECIFICATION		
PAYLOAD FOR 3 DOF CONFIGURATION	1500 kg 3307 lb	
MAIN DIMENSIONS		
TOTAL WIDTH	181 mm 7.2 in	
TOTAL LENGTH	375 mm 14.77 in	
MIN HEIGHT	527 mm 20.75 in	
POWER REQUIREMENTS		
AVERAGE POWER	2.2 kVA	
PEAK POWER	6.6 kVA	
PEAK CURRENT	29 A	
AVERAGE POWER (STRESS TEST)	1 kW	
AVERAGE POWER (TYPICAL GAME)	0.4 kW	

APPLICATION NOTE

The PS-280 consists of two linear actuators with a very high payload 375 kg for single actuator and the compact control unit. This motion system can be easly extended to 3DOF configuration. The new generation of electrical cabinet is equipped with proprietary design electronics and software. Design of cabinets allows users to achieve security measures CL class up to SIL (Safety Integrity Level) 3 if required.



ADD-ONS & ACCESSORIES

Power Cabinet PS-SB230

OUR SOFTWARE

Platform Manager - ForceSeatPM (free-of-charge), Motion SDK - ForceSeatDI, Motions SDK - ForceSeatMI, Motion Theater

GENERAL **DIMENSIONS**

